

Unix Signals

W4118 Operating Systems I

<https://cs4118.github.io/www/2024-1/>

Logistics

- HW3 is out
 - Make sure you have Github access (invitations expire after 7 days)

Process Groups and Job Control

We start a long-running pipeline in a shell:

```
$ proc1.sh | proc2.sh # we don't get the shell back while this runs
```

How can we do other work?

Process Groups and Job Control

We start a long-running pipeline in a shell:

```
$ proc1.sh | proc2.sh # we don't get the shell back while this runs
```

How can we do other work?

Today: Use a modern terminal and open another tab/window/SSH connection, use a tmux (terminal multiplexer) session, etc.

Past: Use job control to put pipeline in the background and bring your shell back to the foreground.

Process Groups and Job Control


```
$ proc1 | proc2 & # send pipeline to background
```

```
[1] 7106
```

```
$ proc3 | proc4 | proc5 # we have our shell, start another pipeline
```

[1] 7106 refers to the job# and leading pid of the backgrounded pipeline. More job control:

- jobs: List all jobs
- Ctrl-Z: Suspend foreground job and send to the background
- bg <job>: Resume <job> in the background
- fg <job>: Bring backgrounded <job> into the foreground



Sending Signals

```
#include <signal.h>
```

```
int kill(pid_t pid, int signo);
```

```
int raise(int signo);
```

- Both return: 0 if OK, -1 on error
- If `pid < 0`, the signal is sent to the process group with `pgid == | pid |`

Terminal-generated signals

- Ctrl-C sends `SIGINT` to foreground process group
- Ctrl-\ sends `SIGQUIT` to foreground process group
- Ctrl-Z sends `SIGTSTP` to foreground process group

signal()

```
typedef void (*sighandler_t) (int);
```

```
sighandler_t signal(int signum, sighandler_t handler);
```

Sets disposition of signum to handler, where handler can be:

- SIG_IGN: ignore the signal
- SIG_DFL: take the default action associated with the signal (see man 7 signal)
- a handler (function) of type sighandler_t: handler(signum) called to handle signal

Show portability issues between
Mac and Linux for shell2

Unreliable Signals: `read()`

What happens if a “slow” system call is interrupted by a signal?

- Slow underlying `read()` syscall gets interrupted. `errno` set to `EINTR`, causes `fgets()` to return `NULL`
- Hotfix?

Unreliable Signals: `read()`

What happens if a “slow” system call is interrupted by a signal?

- Slow underlying `read()` syscall gets interrupted. `errno` set to `EINTR`, causes `fgets()` to return `NULL`
- **Hotfix:** check `EINTR` and restart the syscall
 - ...but this is annoying, most of the time we want the syscall to be restarted
 - need a way to indicate that slow syscalls should be restarted for us

Unreliable Signals: `read()`

What happens if a “slow” system call is interrupted by a signal?

- Slow underlying `read()` syscall gets interrupted. `errno` set to `EINTR`, causes `fgets()` to return `NULL`
- **Hotfix:** check `EINTR` and restart the syscall
 - ...but this is annoying, most of the time we want the syscall to be restarted
 - need a way to indicate that slow syscalls should be restarted for us

Signals get lost

- Disposition set with Linux `signal()` resets after each signal
- **Hotfix?**

Unreliable Signals: `read()`

What happens if a “slow” system call is interrupted by a signal?

- Slow underlying `read()` syscall gets interrupted. `errno` set to `EINTR`, causes `fgets()` to return `NULL`
- **Hotfix:** check `EINTR` and restart the syscall
 - ...but this is annoying, most of the time we want the syscall to be restarted
 - need a way to indicate that slow syscalls should be restarted for us

Signals get lost

- Disposition set with Linux `signal()` resets after each signal
- **Hotfix:** Set disposition again after detecting `EINTR`
 - ...but there's still a race condition: what if we get another signal before we set disposition?
 - need a way to indicate NOT to reset disposition

Reentrancy Issues

Can't call certain function in asynchronous contexts

- Functions that use static data structures, `malloc()`, `free()`, standard I/O functions are unsafe!
 - Why is `printf()` not async-signal-safe?
 - Hint: recall std-io buffering (see also: `man 7 signal-safety`).
- Calling such functions in async manner could cause data corruption
- Check `man 7 signal-safety` for async-signal-safe functions

alarm() / pause()

```
#include <unistd.h>
```

```
unsigned int alarm(unsigned int seconds);
```

```
// Returns: 0 or number of seconds until previously set alarm
```

```
int pause(void);
```

```
// Returns: -1 with errno set to EINTR
```

alarm(): generate SIGALRM after seconds

pause(): suspend program execution indefinitely

Issues: check sleep.c

Portable Solution: `sigaction()`

See `sigaction.c`

An installed action stays installed until otherwise changed with `sigaction()`

`sigset_t sa_mask`: additional signals to block while `signo` is being handled with `sa_handler` → `signo` is blocked for you while in `sa_handler`

`int sa_flags`: handling options – some notable ones:

- `SA_INTERRUPT`: Don't automatically restart slow system call (default, there may not be a flag)
- `SA_RESTART`: Automatically restart slow system call
- `SA_NODEFER`: Don't block `signo` while in `sa_handler`
- `SA_RESETHAND`: Reset disposition of `signo` to `SIG_DFL`

More signal management

`sigprocmask()`: manipulate a process's signal mask

`sigpending()`: retrieve a set of pending signals that are blocked from delivery

`sigsuspend()`: **atomic** `sigprocmask(SIG_SETMASK, ...)` + `pause()`, restores previous mask on interrupt